PRINTED: 01/20/2016

FORM APPROVED Illinois Department of Public Health STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: C B. WING IL6014757 12/22/2015 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 1221 EAST GOLF ROAD ALDEN DES PLAINES REHAB & HC DES PLAINES, IL 60016 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION ID (X5) COMPLETE (X4) ID (EACH CORRECTIVE ACTION SHOULD BE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX PRÉFIX DATE CROSS-REFERENCED TO THE APPROPRIATE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) TAG DEFICIENCY) S9999 S9999 Final Observations STATEMENT OF LICENSURE VIOLATIONS 300.1210 a) 300.1210b) 300.1210d) 6) 300.3240a) Section 300.1210 General Requirements for Nursing and Personal Care a) Comprehensive Resident Care Plan. A facility, with the participation of the resident and the resident's guardian or representative, as applicable, must develop and implement a comprehensive care plan for each resident that includes measurable objectives and timetables to meet the resident's medical, nursing, and mental and psychosocial needs that are identified in the resident's comprehensive assessment, which allow the resident to attain or maintain the highest practicable level of independent functioning, and provide for discharge planning to the least restrictive setting based on the resident's care needs. The assessment shall be developed with the active participation of the resident and the resident's guardian or representative, as applicable. (Section 3-202.2a of the Act) b) The facility shall provide the necessary care and services to attain or maintain the highest practicable physical, mental, and psychological Attachment A well-being of the resident, in accordance with each resident's comprehensive resident care Statement of Licensure Violations plan. Adequate and properly supervised nursing care and personal care shall be provided to each resident to meet the total nursing and personal

Illinois Department of Public Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

care needs of the resident.

TITLE

(X6) DATE

01/11/16

PRINTED: 01/20/2016 FORM APPROVED

Illinois Department of Public Health

	IIII IOIS L	epartificit of Fubile	riealtri					
		(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY			
	AND PLAN	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:	NAME OF THE PROPERTY OF THE PR	COMP	LETED	
							;	
			IL6014757	B. WING			2/2015	
eres	NAME OF	PROVIDER OR SUPPLIER	CTDEET AD	DDECC CITY (STATE, ZIP CODE		***************************************	
	INMINIE OF I	NOVIDEN ON SON EIEN						
	ALDEN DES PLAINES REHAB & HC 1221 EAST GOLF ROAD DES PLAINES, IL 60016							
	(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRODEFICIENCY)	D BE	(X5) COMPLETE DATE	
	S9999	Continued From page	ge 1	S9999				
		d) Pursuant to subscare shall include, a and shall be practice seven-day-a-week to 6) All necessary preasure that the residus free of accident hursing personnels that each resident reand assistance to present the section 300.3240 A a) An owner, license	ection (a), general nursing at a minimum, the following ed on a 24-hour, pasis: ecautions shall be taken to dents' environment remains nazards as possible. All hall evaluate residents to see eceives adequate supervision revent accidents. buse and Neglect ee, administrator, employee or all not abuse or neglect a					
		Based upon record facility failed to ensuinterventions were for residents (R1) review	vere not met as evidence by: review and interview the ure that fall prevention unctioning for one of four wed for falls, in the sample of ustained (right) eyebrow and s requiring sutures.					
	2	Findings include:						
		denotes a score of 2 report (3/12/15) den the floor at 10:15am R1's right forehead was subsequently travaluation. The follothat R1 returned from the right eyebrow and report (3/12/15) includes	ment conducted 3/12/15 21 (High Risk). Occurrence otes that R1 was observed on . A laceration was noted to with moderate bleeding. R1 ansferred to the hospital for ow-up investigation affirms in the hospital with sutures to ad forehead. R1's fall details udes the following; Preventive fall: Alarm not sounding.					

Illinois Department of Public Health

PRINTED: 01/20/2016 FORM APPROVED

Ilinois Department of Public Health

IIIInois D	epartment of Public	пеаш			·	······································	
	IT OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ()		1 '	X3) DATE SURVEY COMPLETED	
		IL6014757	B. WING		12/2	2 <mark>2/2015</mark>	
NAMEOES	PROVIDER OR SUPPLIER	STREET AD	DDRESS, CITY, STATE, ZIP CODE				
		1221 EAS	T GOLF ROAD				
ALDEN [DES PLAINES REHAE	1 2 HC	NES, IL 600				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPRODEFICIENCY)	D BE	(X5) COMPLETE DATE	
S9999	Continued From page 2		S9999				
	Recommendation: Continue to use bed sensor and body personal alarm to monitor rising.						
	R1's fall risk care plan interventions include but not limited to; (3/12/15) Continue to use personal or pressure sensor alarms when in chair or bed to monitor rising.						
	stated that on 3/12/ (Certified Nursing A patient was sitting of sitting right next to call light." Surveyo	Apm, E3 (Registered Nurse) (15 "I was called by the CNA assistant), he told me the on the floor. He (R1) was the bed. He did not use the r inquired if a bed alarm was in ed "Yes. He was next to the ng."					
	one would check th E4 (CNA) responde we go to the rooms indicated that on 3/ R1 fell and changed observed sitting on Surveyor inquired if	Opm, surveyor inquired how lat the bed alarms are working ed "I'm check the alarms when on each patient." E4 12/15 he made rounds before d his diaper. R1 was later the floor near the bed. R1 had a bed alarm in place rrence, E4 responded "I'm not."					
	On 12/21/15 at 1:5 "We don't have a p	7pm, E1 (Administrator) stated olicy for alarms."					
	stated "We have a	Spm, E2 (Director of Nursing) policy for fall risk assessment program. The alarm itself, we					
	checked for potenti alarm off and state	7pm, 306B's bed alarm was al malfunction. E2 set the d'I need help. This is new." ilence the alarm, staff					

Illinois Department of Public Health

STATE FORM 6899 HUXB11 If continuation sheet 3 of 4

PRINTED: 01/20/2016 FORM APPROVED

Illinois Department of Public Health

STATEME	NT OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED			
Territoria								
		IL6014757	B. WING		ŧ	2/2015		
NAME OF	PROVIDER OR SUPPLIER		DRESS, CITY, STATE, ZIP CODE					
ALDEN	ALDEN DES PLAINES REHAB & HC 1221 EAST GOLF ROAD DES PLAINES, IL 60016							
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY)	.D BE	(X5) COMPLETE DATE		
S9999	9 Continued From page 3		S9999					
	assistance was required.							
	(06/13) includes but facility will assess h plan of care to addr implement appropria revise the residents minimize the risks for to the resident. Pro resident's immediat	alls policy and procedure t not limited to; Policy: The azards and risks, develop ress hazards and risks, ate resident interventions, and plan of care in order to or fall incidents and/or injuries ocedure: Assess and monitor e environment to ensure ement of potential hazards.						
	(B)							
						ili		
A State of the sta						BRICETON SCALAR		
7000								
TO A COLUMN TO THE COLUMN THE COLUMN TO THE								
APPLY ALL								

Illinois Department of Public Health

STATE FORM HUXB11 If continuation sheet 4 of 4